

**TOP
FIVE**

**FUTURE INNOVATION
FINEST QUALITY
FAST SERVICE
FREE ITEMS
FAIR PRICE**



G&G ARMAMENT
AIRSOFT GUNS & ACCESSORIES

Future innovation

G&G always brings you the most innovative products. We not only replicate real steel firearms, but we also push our R&D to develop more features and ergonomic designs to meet the high standards of our customers' demand.

Finest quality

G&G offers industry leading manufacturer warranty coverage of up to 90 days after the purchase of a G&G gun. We stand behind our quality and test every single rifle before shipment.

Fast service

We have dedicated and professional employees who work on end users' emails and dealers' inquiries. We have personnel and professionals working daily to ensure all inquiries are responded to in a timely manner. Most warranty claims are dealt with within 24 hours by our customer support department.

Free items

G&G offers the most variety of free items for our customers, and we continue to release new giveaways frequently. We always offer a variety of promotional materials for events and sponsorships to help and support the Airsoft community.

Fair price

Customer satisfaction is G&G's main goal. We offer top dollar products to our customers, and we never cut corners to build our products.

TAIWAN

Sales Dept.

sales@guay2.com , b2b@guay2.com

Technology Support Dept.

support@guay2.com

PR Dept. pr@guay2.com

Chang Hua (Headquarter)

Tel : +886-4-798-9000 Fax : +886-4-798-9900

No.999, Zhonghua Rd. Shengang Township,
Changhua County 50952, Taiwan (R.O.C.)

Taipei

Tel : +886-2-2692-2000 Fax : +886-2-2692-4000

11F-3., No.27, Lane 169, Kangning St. Shijr City,
Taipei County 22180, Taiwan (R.O.C.)

U.S.A. (Warehouse)

Los Angeles

E-mail sales101@guay2.com

Tel : +1-626-581-0101

Fax : +1-626-581-1011

1122 Coiner Court,
City of Industry, CA 91748 (U.S.A.)

Dealer

G2-201301-02-英



Like Us On

www.facebook.com/ggarmament



RoHS
2002/95/EC



**TOP
FIVE**

**FUTURE INNOVATION
FINEST QUALITY
FAST SERVICE
FREE ITEMS
FAIR PRICE**



GS-801 MANUAL

GS-801 Full Metal CO2 Powered Airsoft Gas Blow Back Pistol

G&G www.Guay2.com
ARMAMENT



- For the best performance and warranty, do not use this product in an environment under 18 degree C.
- Always wear eye protection when playing airsoft.
- Incorrect use may cause injury or death.
- Read the whole manual before using.
- Adult supervision required.

- Never point an Airsoft gun at animals or humans.
- Buyers and users must obey all laws and rules of the local authorities in their area.
- This product is suggested for users 18 years or older.

For more product information
please visit our website
www.guay2.com

You may be liable for damaging public, personal property, or for injuring a person or an animal. Always observe good manners and enjoy fun sport shooting.



Safety procedures:

1. Set the selector lever to the safety position.
2. Remove the magazine cover.
3. Remove the CO2 cartridge.



When shooting the air gun for target practice or in a game situation, you and all participants must wear safety goggles or other eye protective gear. Please pay attention to ricochets and third parties around you.



When you carry the air gun, attach the safety cap, set the selector lever to the safety position, and always put the air gun in a case or bag.



Select a safe place for operating the air gun and avoid places where people and cars are around.



Always attach the safety cap to the muzzle, remove the battery, and store the air gun in a case or bag and at a place that is out of reach of children.

Never direct the muzzle towards a person, animal, or in any direction that may cause harm or damage to a third party.



Looking into the muzzle is extremely dangerous, regardless of having BB's loaded or not. If you get hit in the eye by a BB pellet, worst case scenario, you may lose your eye sight.



There may be cases where some BB's remain in the gun after the magazine has been removed. After removal of the magazine, direct the muzzle towards a safe direction and pull the trigger to confirm that there are no BB's remaining in the gun, then attach the safety cap.



CO2 cartridges may explode at temperatures above 120°F (48.9°C). Do not mutilate or incinerate them. Do not expose them to heat or store CO2 cartridges at temperatures above 120°F (48.9°C).



Activating the trigger carelessly is extremely dangerous. Never put your finger on the trigger unless the safety cap is removed and you are ready to shoot a target.



Disassembling or modifying the gun may adversely affect the performance and make it dangerous. It would also void the warranty.



Learning the names and parts of your new CO2 Pistol will help you understand the operation. Use this manual to increase your knowledge of the CO2 pistol.

Selector & Safety

⚠ Always keep the pistol "On Safe" until you are ready to shoot.

⚠ Warning

- ▶ Never operate the selector switch while pulling the trigger; otherwise, malfunctions may occur.
- ▶ Pulling the trigger with the Selector being set at safe mode may damage the air gun.



Firing Mode

Safety OFF: Set the selector to the "F" position.

Safety Setting Mode

Safety ON : Set the selector to the "S" position.

Load the battery into the laser sight


⚠ Never look directly into the laser beam.



1. Hold down the dismantling switch of the laser sight.
2. Pull out the laser sight.



3. Push and open the battery cover.



4. Insert the battery by following the +/- polarity indicator.



5. Push the button to test the laser sight.



6. Insert the laser sight into the receiver.



7. Make sure the laser sight is inserted all way into the receiver and your laser sight is now ready to use.

⚠ Wear appropriate goggles for eye protection.



Press the dismantling switch once to disable laser sight.

Adjusting the laser sight



- To move it up when it is too low.
- To move it down when it is too high.



- To move right when it is too leftward.
- To move it left when it is too rightward.

Installing CO2 Cartridge

⚠ Keep hands and face away from escaping CO2 gas. It can cause frostbite if allowed to come in contact with skin.

⚠ Use Only 12 gram CO2 cartridge.



Always point the pistol's muzzle at a safe direction and make sure the safety is set at the "Safety On" position.
1. Pull the rear handle back.



2. Install the CO2 cartridge.



3. Press and hold the knob upright with the index finger.



4. Turn the puncture screw clockwise to puncture the CO2 cartridge.
5. Push the rear handle back into position.



1. Press the magazine release.



2. Pull the magazine out of the pistol grip.



3. Pull the BB guide down to the bottom and hold onto the guide.




4. Load G&G 5.95mm BB pellets into the magazine. The magazine is capable of holding approximately 14 BB pellets.



5. Insert the magazine into the receiver until you hear a click.

Aim and Fire

- ⚠ Make sure the gun is pointed at a safe target. Once the last BB has been shot from the gun, it is still possible for the trigger to be pulled, but only CO2 will be discharged.



1. Aim at a safe target. Since the CO2 gun will eject a powerful gas force, player should pay extreme attention to target selection and be aware that improper targets would make BB or steel shots rebound from the target.



2. When you are certain that the target and the surrounding area is safe, set to firing mode. Pulling the trigger now will fire the gun.



3. Pull the trigger down to the middle to have the laser sight on.



4. Pull the trigger all the way down to shoot.
5. After shooting is complete, turn on the safety lock.

Dismantling the Slide



1. Press the laser dismantling switch once to have the laser unit move forward and open.





2. Pull down the slide dismantling knob without loosening it.



3. Pull the slide back and lift up to disassemble.

⚠ Attention

1. If a BB does not fire after completing the operation steps, do not assume that the gun is unloaded. Always point the pistol at a safe direction.
2. After shooting is complete, the gun should be unloaded before storage. To unload the gun, always put the selector on safe mode, remove the CO2 cartridge, and remove the BB's from the magazine.
3. High temperatures can produce pressure in the CO2 cartridge that is considerably higher than the normal operating pressure. Such increased pressure may prevent the pistol from firing and may result in permanent damage to the gun. The maximum operating temperatures can easily be reached if the gun is left directly exposed to the sun; therefore, the user should not expose the pistol to high temperature conditions or direct sunlight for an extended period of time.
4. Rapid firing of the gun will cause temperature reduction in the pistol and CO2 gas. This will lower BB velocities and may even lower the gas pressure causing the pistol not to fire. This condition can be avoided by allowing more time between shots. This permits the gas to increase in temperature and pressure, and produce normal velocities.
5. Care should be exercised to ensure that the gun is not shot with a CO2 cartridge that is low in pressure as a BB may not be expelled from the barrel.
6. A CO2 cartridge contains gas under pressure, whether or not it has been inserted into a gun. If exposed to high temperatures (such as inside of a closed car with direct sunlight), it could explode. Be sure to store all cartridges in a cool place.



**[GS-801 SV]**

CO2-PTM-PST-SBB-NCM

TYPE / CO2, LENGTH / 190mm

INNER BARREL / 98 mm

RECEIVER / Metal, CO2 / 12 gm

MAGAZINE / 14 Rounds

WEIGHT / 742 g, BLOW BACK / YES

VELOCITY / According to Local Regulation

**[WITH LASER]****[GS-801 BK]**

CO2-PTM-PST-BBB-NCM

TYPE / CO2, LENGTH / 190mm

INNER BARREL / 98 mm

RECEIVER / Metal, CO2 / 12 gm

MAGAZINE / 14 Rounds

WEIGHT / 742 g, BLOW BACK / YES

VELOCITY / According to Local Regulation

**[WITH LASER]****[G226 CO2 VER.]**

CO2-226-PST-BNB-NCM

TYPE / CO2, LENGTH / 210mm

INNER BARREL / 110.5 mm

RECEIVER / Plastic, CO2 / 12 gm

MAGAZINE / 15 Rounds

WEIGHT / 400 g, BLOW BACK / NO

VELOCITY / According to Local Regulation

**[G1911 CO2 VER.]**

CO2-191-PST-BNB-NCM

TYPE / CO2, LENGTH / 210mm

INNER BARREL / 125 mm

RECEIVER / Plastic, CO2 / 12 gm

MAGAZINE / 16 Rounds

WEIGHT / 374 g, BLOW BACK / NO

VELOCITY / According to Local Regulation



BLOW BACK

**[G731 SV]** CO2-731-PST-SNB-NCM

TYPE / CO2, LENGTH / 196mm, INNER BARREL / 64 mm

RECEIVER / Metal, CO2 / 12 gm, MAGAZINE / 6 Rounds

WEIGHT / 743 g, BLOW BACK / NO

VELOCITY / According to Local Regulation

**[G731 BK]** CO2-731-PST-BNB-NCM

TYPE / CO2, LENGTH / 196mm, INNER BARREL / 64 mm

RECEIVER / Metal, CO2 / 12 gm, MAGAZINE / 6 Rounds

WEIGHT / 743 g, BLOW BACK / NO

VELOCITY / According to Local Regulation

**[G226 SPRING VER.]**

SPR-226-PST-BNB-NCM

TYPE / SPRING, LENGTH / 210mm, WEIGHT / 303.5 g

INNER BARREL / 92 mm, RECEIVER / Plastic

MAGAZINE / 14 Rounds, BLOW BACK / NO

VELOCITY / According to Local Regulation

**[G1911 SPRING VER.]**

SPR-191-PST-BNB-NCM

TYPE / SPRING, LENGTH / 210mm, RECEIVER / Plastic

INNER BARREL / 106.5mm, MAGAZINE / 16 Rounds

WEIGHT / 286 g, BLOW BACK / NO

VELOCITY / According to Local Regulation

